


Unobtrusive Health Hazard

Naveed Shuja^{1*}

1- Dean faculty of Biological Sciences Lahore-UBAS (Lahore Medical & Dental College), Lahore, Pakistan.

*Corresponding Author: Prof.Dr. Naveed Shuja, Email: rananaveedshuja@gmail.com , Cell #: +92-3334205687



Received: 08/03/2024
Revised: 17/03/2024
Accepted: 19/03/2024
Published: 30/04/2024

© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third-party material in this article are included in the article's Creative Commons licence unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you must obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Oxidative Stress: Oxidative stress is a biological mechanism caused by an imbalance between biosynthesis and gathering of oxygen reactive species (ROS) in biological system. If the ability of any biological system to detoxify these oxygen reactive species there will stress. ROS are typically produced as byproducts of oxygen metabolism and can play a variety of physiological roles, including cell signaling. Despite this, environmental stressors such as UV, ionizing radiation, pollutants, heavy metals, and xenobiotics can also produce ROS. Common reactive oxygen species are Superoxide radicals (O_2^-), hydrogen peroxide (H_2O_2), hydroxyl radicals ($\bullet OH$), and singlet oxygen (1O_2) produced during different metabolic pathways. Processes, like protein phosphorylation, activation of several transcriptional factors, apoptosis, immunity, and differentiation, are all dependent on a proper ROS production and presence inside cells that need to be kept at a low level[1]. When ROS production increases, they start showing harmful effects on important cellular structures like proteins, lipids, and nucleic acids. ROS are mainly produced by mitochondria, during both physiological and pathological conditions, that is, O_2^- can be formed by cellular respiration, by lipoxygenases (LOX) and cyclooxygenases (COX) during the arachidonic acid metabolism, and by endothelial and inflammatory cells. ROS production basically relies on enzymatic and non-enzymatic reactions. Enzymatic reactions able to generate ROS are those involved in respiratory chain, prostaglandin synthesis, phagocytosis, and cytochrome P450 system. Free radicals are generated from both endogenous and exogenous sources. Immune cell activation, inflammation, ischemia, infection, cancer, excessive exercise, mental

stress, and aging are all responsible for endogenous free radical production[2].

Signs of oxidative stress[3]:

- Fatigue.
- Memory loss.
- Muscle or joint pain.
- Wrinkles and grey hair.
- Decreased eye sight.
- Headaches and sensitivity to noise.
- Susceptibility to infections.

Reducing Oxidative Stress[4]:

- Avoid sugar and processed foods while balancing your blood sugar levels.
- Prevent infections.
- Allow time for daily stress remedies.
- Avoid toxins.
- Promote the production of anti-oxidants.
- Eat foods that are high in anti-oxidants.
- Take herbs that are high in anti-oxidants.

REFERENCES

1. Atuadu V, Benneth B-A, Oyem J, Esom E, Mba C, Nebo K, et al. Adansonia digitata L. leaf extract attenuates lead-induced cortical histoarchitectural changes and oxidative stress in the prefrontal cortex of adult male Wistar rats. *Drug Metab Pers Ther.* 2021;36(1):63–71.
2. French SS, Neuman-Lee LA, Terletzky PA, Kiriazis NM, Taylor EN, DeNardo DF. Too much of a good thing? Human disturbance linked to ecotourism has a “dose-dependent” impact on innate immunity and oxidative stress in marine iguanas, *Amblyrhynchus cristatus*. *Biol Conserv.* 2017;210:37–47.

3. Yadav KD, Yadav V, Jha R, Yadav C, Singh S, Dhaliwal I. Oxidative stress and anti-obesity approach in behavior of COVID-19: A review. *Indian J Tradit Knowl*. 2021;19(Suppl):S139–42.
4. Allgrove J, Farrell E, Gleeson M, Williamson G, Cooper K. Regular dark chocolate consumption reduces oxidative stress and increases free-fatty-acid mobilization in response to prolonged cycling. *Int J Sport Nutr Exerc Metab*. 2011;21(2):113–23.

This Article May be cited as: Shuja N. Unobtrusive health hazard: managing oxidative stress, strategies and impacts. *Dev Med Life Sci*. 2024;1(2):01. doi:10.69750/dmls.01.02.023

Publisher's Note:

Developmental Medico-Life-Sciences remains neutral with regard to jurisdictional claims in published maps. and institutional affiliations.

